



Mortuary Catalogue

CONTENTS

FUNERAL STRETCHERS AND TROLLEYS	9	Z2100 / Z2200	38
PC7590-PB7290	10	FIXED AND FOLDABLE BODY TRANSPORT STRETCHERS	
POWERED FUNERAL STRETCHER		Z2500 / Z2501	39
WITH INTEGRATED SUPPORT SYSTEM		FOLDABLE BODY TRANSPORT STRETCHERS WITH HANDLES AND FOLDABLE WHEELS	
Z CROSS/Z CROSSOVER	12	PAX BODY TRANSPORT SHEET L	40
MULTILEVEL SELF-LOADING TROLLEYS		TRANSPORT SHEET WITH ANTI-SLIP PROTECTION	
Z CROSS/Z CROSSOVER	13	PAX 10H LIGHT BODY TRANSPORT SHEET	41
MULTILEVEL SELF-LOADING TROLLEYS WITH TRAY		TRANSPORT SHEET WITH BAG	
Z CARRERA	14	STX 709	42
SELF-LOADING TROLLEYS WITH TRAY		BODY BAG	
PC905/7 – PC915/7 – PC945/7	15	BODY PREPARATION	43
FUNERAL TROLLEYS WITH DETACHABLE STRETCHER		FRACK	44
PC925/7	16	FOLDABLE DRESSING TABLE WITH ADJUSTABLE HEIGHTS	
FUNERAL TROLLEY WITH DETACHABLE STRETCHER		Z 4000	45
COFFIN LIFTING TROLLEYS	17	ADJUSTABLE-HEIGHT WORKBENCH WITH ROLLER	
POWER JACK-E	18	Z 4001	46
BATTERY POWERED COFFIN LIFTING TROLLEY		WORKBENCH WITH COFFIN SUPPORT PADS	
JACK-E	20	BLANCO	47
OLEO-DYNAMIC COFFIN LIFTING TROLLEY		MULTIFUNCTION PORTABLE SUCTION DEVICE	
B-SUPPORT	22	JET COMPACT	48
BODY TRAY IN STAINLESS STEEL		COMPACT AND LIGHTWEIGHT PORTABLE SUCTION UNIT	
B-COVER	22	D-B-VAC	49
LID FOR STRETCHER WITH BODY TRAY		MANUAL ASPIRATOR FOR SECRETIONS	
CHURCH TROLLEYS	23	RES-Q-VAC	49
Z521	24	MANUAL SUCTION PUMP	
MULTILEVEL CHURCH TROLLEY		ACCESSORIES AND BAGS	50
Z501 / Z501F / Z502 / Z503 / Z504	25	PAX ROLLER DAYPACK	51
CHURCH TROLLEYS		WATERPROOF BACKPACK WITH ROLL-TOP CLOSURE	
Z511 / Z512	26	RING CUTTER	52
CHURCH TROLLEYS WITH HANDLES THAT ROTATE 180° HORIZONTALLY		STAINLESS STEEL RING CUTTER	
POWER Z501	27	AXIL	52
CHURCH TROLLEY WITH ELECTRIC LIFTING PISTON AND 90° HANDLE ROTATION		EXTRACTABLE CHIN REST	
COMPARATIVE TABLE OF CHURCH TROLLEYS	29	Z 754	52
WING	30	FUNERAL HEADREST	
ALUMINIUM MULTI-HEIGHT STAND		RDG	52
BODY TRANSFER SYSTEM	31	GLOVES DISPENSER	
EXTRATANK	32	N-GLOVEX	53
BODY TRANSPORT SYSTEM		NITRIL GLOVES	
Z 5000	33	GLOVEX	53
PICK-UP STRETCHER		LATEX GLOVES	
Z 5005	34	FXA PRO	53
RECOVERY BOARD		UNIVERSAL ANATOMICAL ANKLE IMMOBILISER	
Z-STRAPS	34	GMX 234	54
HARNESS SYSTEM		CURVED SCISSORS WITH ROUNDED END	
SPENCER 520	35	MATCH 3	54
STRETCHER CHAIR FOR BODY REMOVAL		MULTI-PURPOSE SCISSORS	
SKID-E	36	PAX LOGBOOK MULTI-ORGANIZER TABLET	54
SYSTEM FOR TRANSPORTING THE DECEASED ON STAIRS		DOCUMENT HOLDER FOR A4-SIZED TABLETS	
WOW	37	PAX LOGBOOK MULTI-ORGANIZER KF	54
RECOVERY SHEET WITH 10 HANDLES AND SHOULDER STRAPS		DOCUMENT HOLDER	

SPENCER

World-renowned quality products

Since 1989, Spencer has been designing solutions dedicated to the funeral sector, manufacturing Made in Italy equipment recognised worldwide for its high quality, distinctive design and the high safety standards guaranteed.

Our range includes over 150 products intended for mortuaries and funeral directors. It features coffin lifting and church trolleys to transport stretcher, workbench and dressing tables, and a wide assortment of accessories for the funeral sector.

What sets Spencer products apart from those of other suppliers is the design and development of equipment created not only to last over time, but also to be intuitive and accessible to everyone, both men and women, ensuring safer and more efficient handling. Ergonomic design allows operators to work more efficiently and with reduced physical strain.

The wide range of models launched on the market and their distribution in more than 80 countries worldwide demonstrate the success of our philosophy, based on a strong focus on quality, usability and safety of our products.



1989

**FOUNDATION
YEAR**

From its founding, Spencer laid the groundwork for a company specialized in the development and manufacture of self-loading stretcher and patient transport equipment. With the opening of its first production facility in northern Italy, Spencer began developing solutions known for their exceptional maneuverability, ease of use, and reliable performance in high-pressure emergency situations. From the very beginning, optimizing the workflow of first responders has been at the core of our focus.



1997

**GROWTH IN THE
EMS AND FUNERAL
MARKETS**

Spencer began applying its expertise from emergency services directly to the funeral sector. The goal was to make the recovery and transport of deceased individuals safer, more ergonomic, and more efficient for funeral homes. The first self-loading cot for body transport generated great excitement and was quickly adopted by funeral services as a pioneering tool in their daily operations.



2004

**INNOVATIVE
CHURCH TROLLEY**

In the same year, Spencer launched its first folding church trolley, made from durable yet lightweight stainless steel. This material not only ensures a long service life but also makes daily handling easier. Equipped with large wheels and sturdy handles, the church trolley can be maneuvered effortlessly even in tight spaces or over uneven terrain. Its combination of functionality and durability makes it a valuable support tool in the daily operations of funeral homes.



2011

INTRODUCTION OF THE FIRST COFFIN LIFTING TROLLEY

In this year, Spencer introduced the first rolling coffin lifting trolley of its kind: the JACK. Equipped with an innovative pedal system, JACK allows the coffin to be lifted and positioned with exceptional ease and control, without putting physical strain on the staff. The introduction of this system marked a major milestone in optimizing ergonomic workflows and significantly helped reduce back injuries in the daily operations of funeral homes.



2020

PART OF THE PROTECT MEDICAL GROUP

With its integration into the Protect Medical Group, Spencer opens a new chapter in its business development. Being part of an international group allows for more efficient development processes and enables us to better meet the needs of users. Thanks to increased investment in research and development, a new line of products for coffin handling has emerged, even more closely tailored to the requirements and daily operations of funeral homes.



2022

BATTERY-POWERED SYSTEMS

Spencer introduces a new generation of battery-powered systems—designed for funeral stretchers, coffin lifting trolleys, and church trolleys. This technology significantly reduces physical effort and helps funeral homes make daily operations easier, more efficient, and more ergonomic. The use of battery-powered drives represents a true advancement in terms of safety, time savings, and staff well-being.



EQUIPPED TO FACE THE CHALLENGES

Efficiency and organisation to be closer to our customers

Spencer's production site is located in Italy, in Sala Baganza (Parma). Our logistics and warehousing facilities are organised to promptly serve our partners anywhere in the world.



We work in
collaboration with:



140
Employees



200
Suppliers



115
Business partners

QUALITY THAT EXCEEDS EXPECTATIONS

Testing and innovation for better results

Spencer is constantly pursuing excellence to provide high-quality funeral equipment that consistently meets safety standards in Europe and worldwide.



Quality Management System

EN ISO 9001:2015

EN 13485:2016 + A11:2021



Product Innovation

20 International patents



Welding

According to EN 3834 Standard



Testing

In-house shock and durability testing

MAXIMUM OPERATOR PROTECTION

To prevent issues related to handling of the deceased or coffins, Spencer devices are designed to be really “back-saving”: they enable more ergonomic handling, easing tasks that would otherwise be physically demanding, regardless of the user’s size or strength.

SUPPORT FOR FUNERAL HOMES IN OVER 80 COUNTRIES


Funeral products with international endorsement

Spencer funeral products are renowned worldwide and trusted by funeral directors, mortuaries, and cemetery administrations in over 80 countries. Thanks to their ease of use, robust construction, and the ability to be customized to client requirements, they enable more efficient, safe, and professional operations. We don't just deliver products—we provide solutions that simplify and optimize daily work in the funeral sector.

OUR PRODUCTS

||||| KEY SUCCESS FACTORS |||||

— QUALITY —	— EASE OF USE —
— DESIGN —	— BACK-SAVING —



FUNERAL STRETCHERS AND TROLLEYS



PC7590-PB7290

POWERED FUNERAL STRETCHER
WITH INTEGRATED SUPPORT SYSTEM



Battery
powered



Load
capacity



Weight

The PC7590-PB7290 is a powered funeral stretcher with an integrated restraint system and a modern electro hydraulic lifting mechanism. It has been specifically designed for transporting deceased individuals up to 300 kg, reducing physical effort and allowing particularly smooth lifting and lowering. Made of lightweight, corrosion-resistant aluminium, it stands out for its high stability, long service life, and low height, making it ideal for smooth transport. The intuitive control panel optimizes both battery use and safety functions. Equipped with the PB7290 10G support system, a safety bar, and an external charger, this stretcher is perfect for demanding work environments.

1 Lightweight and sturdy aluminum construction for reliable and durable use. **2** Rear wheel braking system with steering lock for better control and maneuverability. **3** Intuitive control panel for easy lifting and lowering. **4** Telescopic and ergonomic handles for secure grip and easy handling. **5** LED lighting (steady and flashing) for increased visibility in low-light conditions. **6** Integrated safety bar for safe lifting. **7** Battery compartment with security screws for additional protection and longer service life.



Optimised for transferring bodies in vehicles or for use in crematoriums.



To ensure an uninterrupted power supply, the system automatically switches between batteries based on charge level, thus ensuring consistent performance.

CODE PC7590-PB7290

POWERED FUNERAL STRETCHER WITH SUPPORT SYSTEM

STRETCHER

Length 203,2 cm

Width 59 cm

Min-max. height of the platform 40,9-129 cm

Max. platform height (vehicle) 75 cm

Load capacity 300 kg

Weight 72 kg

Material Aluminium

SUPPORT SYSTEM

Length 204 cm

Width 60 cm

Load capacity 300 kg

Weight 117 kg

Lateral movement 30 cm

Front movement 164 cm

Operator required 1


Operating temperature -20°/ 40°C



THE PRODUCT INCLUDES

Restraint belts

External battery charger



1 Fixed support. **2** Extendable guides for easy coupling of the stretcher and restraint system. **3** PB7290 with certified 10G fixing system – maximum safety with full load. **4** Integrated charging system.

Z CROSS/Z CROSSOVER

MULTILEVEL SELF-LOADING TROLLEYS

The Z CROSS and Z CROSSOVER self-loading multilevel trolleys, also available with an increased load capacity of up to 250 kg, are designed to simplify and make the transport of the deceased safer. The large Ø 20 cm swivel wheels, equipped with an intuitive braking system, ensure smooth and controlled movements even in tight spaces or on uneven surfaces, while adjusting the height to an intermediate level facilitates the transfer of the deceased, reducing operator effort. The sturdy frame structure is compatible with Spencer Z2500 and Z2501 stretchers, allowing easier transport and more efficient handling of operations.


ZS00890	Z CROSS Trolley – Loading height 58–67 cm
ZS00894	Z CROSSOVER Low trolley – Loading height 47–55 cm
ZS00895	Z CROSSOVER Trolley – Loading height 58–67 cm

Z CROSS

Length 197 cm
Width 56 cm
2 fixed and 2 swivel wheels Ø 20 cm
Load capacity 170 kg
Weight 38 kg
Materials Stainless steel, PE, Nylon

Z CROSSOVER

Length 197 cm
Width 56 cm
4 swivel wheels Ø 20 cm
Load capacity 250 kg
Weight 41 kg
Materials Stainless steel, PE, Nylon
Twist system included



The trolley includes a set of 4 metal spikes that can be inserted into the top of the frame for safer coffin transport.

THE PRODUCT INCLUDES

ST70002	STX 702 – Two-piece black reflex metal strap – 3 pieces
---------	---

RECOMMENDED FASTENING SYSTEM

ZS00900	HUX Fastening system for funeral vehicles
---------	---

COMPATIBLE WITH

ZS00250	Z2500 Folding stretcher with body bag
ZS00251	Z2501 Folding stretcher with fixed PVC sheet



Z CROSS/Z CROSSOVER

MULTILEVEL SELF-LOADING TROLLEYS WITH TRAY

The Z CROSS and Z CROSSOVER self-loading multilevel trolleys with tray, also available with an increased load capacity of up to 250 kg, are designed to simplify and make the transport of the deceased safer. The large Ø 20 cm swivel wheels, equipped with an intuitive braking system, ensure smooth and controlled movements even in tight spaces or on uneven surfaces, while the ability to adjust to an intermediate height facilitates the transfer of the deceased, reducing operator effort. These devices are compatible with B-COVER.

ZS00891	Z CROSSOVER Trolley with tray – Loading height 58-67 cm
ZS00892	Z CROSSOVER Lower trolley with tray – Loading height 47-55 cm
ZS00893	Z CROSS Trolley with tray – Loading height 58-67 cm

Z CROSS

Length 197 cm
 Width 56 cm
 Average height of tray platform 88 cm
 Average height of platform in low position 27 cm
 Tray depth 2 cm
 2 fixed and 2 swivel wheels Ø 20 cm
 Load capacity 170 kg
 Weight 48 kg
 Materials Stainless steel, PE, Nylon

Z CROSSOVER

Length 197 cm
 Width 56 cm
 Average height of tray platform 88 cm
 Average height of platform in low position 27 cm
 Tray depth 2 cm
 4 swivel wheels Ø 20 cm
 Load capacity 250 kg
 Weight 51 kg
 Materials Stainless steel, PE, Nylon
 Twist system included



THE PRODUCT INCLUDES

ST70002	STX 702 – Two-piece black reflex metal strap – 3 pieces
---------	---

ACCESSORIES

ZS01000	B-COVER Lid for stretcher with body tray
---------	--

RECOMMENDED FASTENING SYSTEM

ZS00900	HUX Fastening system for funeral vehicles
---------	---



Z CARRERA

SELF-LOADING TROLLEYS WITH TRAY

170 kg

Load
capacity

The Z Carrera self-loading funeral trolley is designed to ensure safe and efficient handling of the deceased, minimizing operator effort during loading onto funeral vehicles. The large-diameter wheels provide smooth movement even under heavy loads. Supplied with black reflex straps with metal hooks.

ZS00819 Z CARRERA – Loading height 50 cm

ZS00822 Z CARRERA – Loading height 68 cm

THE PRODUCT INCLUDES

ST70002 STX 702 – Two-piece black reflex metal strap – 2 pieces

1 Stainless steel tray with watertight seal. **2** Tray inclined at the bottom to facilitate fluid collection. **3** Brake on rear wheels. **4** Control levers with color-coded handles ensure intuitive use. **5** Large-diameter wheels for easier movement on uneven surfaces.



Length 197 cm
 Maximum width 56,5 cm
 Height (including tray) 78 cm
 Average height of platform in low position 33 cm
 Tray depth 2 cm
 2 fixed and 2 swivel wheels Ø 20 cm
 Loading height 50 / 68 cm
 Load capacity 170 kg
 Weight 45 kg
 Materials Steel, Aluminium, PE, Nylon

RECOMMENDED FASTENING SYSTEM

ST42200 FA – Front fastening



ST42100 FP – Rear fastening



ACCESSORIES

ZS00808 Black PVC tray cover

ZS01000 B-COVER Lid for stretcher with body tray

PC905/7 – PC915/7 – PC945/7

FUNERAL TROLLEYS WITH DETACHABLE STRETCHER

Load
capacity

Weight

The PC915/7, PC905/7, and PC945/7 trolleys are robust and durable, with a load capacity of up to 250 kg. All models include a detachable stretcher equipped with lower and side wheels to facilitate lifting and vertical movement. The PC915/7 and PC945/7 models feature a 3-level adjustable loading height, adapting to different types of funeral vehicles, and can be lowered to a minimum height of 30 cm, easing transport and storage.

1 Detachable stretcher equipped with lower and side wheels to facilitate lifting and vertical movement. **2** Telescopic handles with reinforced grips. **3** Two wheels with brake and Twist system ensure excellent maneuverability even in tight spaces. **4** Stretcher legs in extruded aluminum provide high strength. **5** Three integrated restraint straps ensure safe transport of the deceased.

**CODE PC905/7 (PC9057-00000)****MONOBLOCK TROLLEY**

Length 193,5 cm
Width 58 cm
Height 96 cm
Loading height 56 cm
Folded height 30 cm
Longitudinal distance between anchoring points 152,5 cm
Load capacity 250 kg
Weight 51 kg
Frame material Extruded aluminium

CODE PC915/7 (PC9157-00000)**TROLLEY WITH ADJUSTABLE HEIGHT**

Length 193,5 cm
Width 58 cm
Height 96 cm
Loading height 49 – 53 cm
Folded height 30 cm
Longitudinal distance between anchoring points 152,5 cm
Load capacity 250 kg
Weight 51 kg
Frame material Extruded aluminium

CODE PC945/7 (PC9457-00000)**COMPACT TROLLEY**

Length 193,5 cm
Width 58 cm
Height 110,2 cm
Loading height 73 cm
Folded height 45,6 cm
Longitudinal distance between anchoring points 152,5 cm
Load capacity 250 kg
Weight 54 kg
Frame material Extruded aluminium

THE PRODUCT INCLUDES

3 restraint belts

PC925/7

FUNERAL TROLLEY WITH DETACHABLE STRETCHER



Load
capacity



Weight

The PC925/7 is a compact trolley with a detachable stretcher equipped with lower and side wheels to facilitate lifting and vertical movement. The reduced width of 50 cm ensures manoeuvrability in tight spaces and optimises space usage in funeral vehicles. Fully lowered, it reaches a height of only 26 cm, simplifying transport and storage. The legs, made of extruded aluminium profiles, provide high strength while keeping the weight very low.

1 Detachable stretcher with lower side wheels to facilitate lifting and vertical movement. **2** Telescopic handles with reinforced grips. **3** Four Ø 20 cm swivel wheels, with brakes and locking on the rear wheels, ensure excellent manoeuvrability even in tight spaces. **4** Stretcher legs in extruded aluminium. **5** Three restraint straps included.



CODE PC9257-00000

Length 193 cm

Width 50 cm

Height 91,5 cm

Loading height 58 cm

Folded height 26,5 cm

Longitudinal distance between anchoring points
152,5 cm

Load capacity 250 kg

Weight 48 kg

Frame material Extruded aluminium

THE PRODUCT INCLUDES

3 restraint belts

COFFIN LIFTING TROLLEYS



POWER JACK-E

BATTERY POWERED COFFIN LIFTING TROLLEY



Battery
powered



Load
capacity



Weight

The Spencer POWER JACK-E is a compact, battery powered coffin lifting trolley made of stainless steel. Weighing only 66 lb, it allows effortless vertical movement of caskets weighing up to 772 lb. This innovative solution is considered one of the most modern tools for funeral homes, morgues, and cemetery administrations. Thanks to its exceptional durability and minimal effort required, it can be safely and efficiently operated by a single person.

1 Tilting wheels for smooth coffin sliding. **2** Support pads for secure positioning. **3** Stainless steel frame for high durability. **4** Front swivel wheels (Ø 25 cm) for better movement over uneven terrain. **5** Pedal for height adjustment. **6** Automatic switch-off after 15 minutes to save energy. **7** Rear wheels (Ø 20 cm) with braking system for easy maneuverability.



Adjustable height from 35 to 87 cm.

CODE ZC30100

Length in lowest position 114 cm
Length in highest position 98,5 cm
Min-Max. height 35–87 cm
Width 64 cm
Front wheels Ø 25 cm
Rear wheels with brake Ø 20 cm
Load capacity 350 kg
Weight 30 kg

THE PRODUCT INCLUDES

2 Ah battery
Battery charger



Tilting roller that can be engaged to improve coffin sliding.



STANDARD MODEL

ZC30100 POWER JACK-E

ZC30110 POWER JACK-E 2RG WITH LARGER SIDE HANDLES

Also available in a version with larger side handles, increasing the operator's grip area and facilitating trolley handling operations.



MODELS WITH 4 SWIVEL WHEELS Ø 20 CM AND TWIST SYSTEM

ZC30102 POWER JACK-E 4RG WITH TWIST SYSTEM

ZC30112 POWER JACK-E 4RG WITH LARGER SIDE HANDLES AND TWIST SYSTEM

The Twist system locks the two rear swivel wheels. Also available in a version with larger side handles.



MODELS WITH 4 SWIVEL WHEELS Ø 20 CM

ZC30101 POWER JACK-E 4RG

ZC30111 POWER JACK-E 4RG WITH LARGER SIDE HANDLES

These models feature four swivel wheels, ensuring greater manoeuvrability even in tight spaces. Also available in a version with larger side handles.

ELECTRICAL CONNECTION TWO OPERATING MODES

- > Via the pedal unit mounted on the device
- > Via a separately connected wired remote control (optional accessory)



CODE ZC30103
WIRED REMOTE CONTROL

JACK-E

OLEO-DYNAMIC COFFIN LIFTING TROLLEY



Load
capacity



Weight

The Spencer JACK-E is a compact, lightweight coffin lifting trolley made of electropolished stainless steel, specifically designed for easy loading and unloading of caskets. Its maintenance-free design ensures long-lasting durability, while the low weight and large wheels make transport significantly easier compared to other models. The reinforced pedal allows precise height adjustment with minimal effort, supporting ergonomic handling.

1 Tilting roller for smoother coffin sliding.
2 Support cushions for secure positioning of coffin.
3 Stainless steel frame for enhanced stability and durability.
4 Front wheels Ø 28 cm, ideal for uneven terrain.
5 Reinforced pedal for easy and precise height adjustment.
6 Rear swivel wheels with brake (Ø 20 cm) for optimal maneuverability.



Adjustable height from 35 to 87 cm.



CODE ZC30000

Length in lowest position 115 cm
Length in highest position 91,5 cm
Min-Max. height 35,5–83 cm
Width 63 cm
Front wheels Ø 28 cm
Rear wheels with brake Ø 20 cm
Load capacity 350 kg
Weight 27,3 kg



Tilting roller that can be engaged to improve coffin sliding.



STANDARD MODEL

ZC30000	JACK-E
ZC30010	JACK-E 2RG WITH LARGER SIDE HANDLES

Also available in a version with larger side handles, increasing the operator's grip area and facilitating trolley handling operations.



MODELS WITH 4 SWIVEL WHEELS Ø 20 CM AND TWIST SYSTEM

ZC30002	JACK-E 4RG WITH TWIST SYSTEM
ZC30012	JACK-E 4RG WITH LARGER SIDE HANDLES AND TWIST SYSTEM

The Twist system locks the two rear swivel wheels. Also available in a version with larger side handles.



MODELS WITH 4 SWIVEL WHEELS Ø 20 CM

ZC30001	JACK-E 4RG
ZC30011	JACK-E 4RG WITH LARGER SIDE HANDLES

These models feature four swivel wheels, ensuring greater manoeuvrability even in tight spaces. Also available in a version with larger side handles.



B-SUPPORT

BODY TRAY IN STAINLESS STEEL

12 kg



Weight

B-SUPPORT is a mortuary body tray designed to be used with Spencer lifting trolleys. Made of stainless steel, it is robust, watertight, and features a sloping base to facilitate fluid drainage. The tray includes a welded support for rigidity and smooth gliding on the insertable tilting roller.



1 Anti-scratch stainless steel tray. **2** Insertable tilting roller to move the tray on a static surface. **3** Easy mechanism to attach (and remove) the tray to any Spencer's lifting trolley and mortuary stretcher. **4** Shell in high density polyethylene. **5** Four metal clips keep B-COVER allow secure and intuitive attachment of the lid to the tray.

CODE ZS01100

B-SUPPORT

Min-max. length with handles 197-202 cm

Width 56,5 cm

Height 16 cm

Wheels Ø 10 cm

Materials Steel, Nylon, PVC

CODE ZS01000

B-COVER

Length 195 cm

Height 32 cm

Width 57 cm

Material PE

B-COVER

LID FOR STRETCHER WITH BODY TRAY

7 kg



Weight

Manufactured in high density polyethylene, B-COVER is a lightweight and non-deformable mortuary cover, immune to chemical and organic agents and easy to sanitize. Four metal clips at its side securely fasten the cover to the B-SUPPORT tray and any other mortuary stretcher tray manufactured by Spencer.

ZS01000 B-COVER



ZS01100 B-SUPPORT

CHURCH TROLLEYS



Z521**MULTILEVEL CHURCH TROLLEY**

454 kg
Load
capacity



20,1 kg
Weight

The Z521 multilevel church trolley combines durability, intuitive design, and usability. The lightweight aluminium structure allows easy manoeuvrability even by a single operator, while the stainless steel joints ensure long-lasting structural integrity. All moving parts are equipped with precision-lubricated nylon and Teflon rings, providing smooth and quiet opening and closing. It features 4 adjustable height levels, offering maximum versatility for various liturgical or logistical needs, and supports a maximum load capacity of 454 kg, with a usable surface of up to 169 cm.

**CODE ZC00865**

Width with handles open 106,5 cm

Width with handles closed 62,8 cm

Dimensions when folded 21,5 x 62,8 x 80,3 cm

Wheels Ø 20 cm

Brake 2

Load capacity 454 kg


Weight 20,1 kg

Frame material Aluminium

Colour Black

**ADJUSTABLE LENGTH**

189 x 62,8 x h65,8 cm



155,6 x 62,8 x h71,6 cm



129 x 62,8 x h74,9 cm



88,1 x 62,8 x h78,3 cm

Z501 / Z501F / Z502 / Z503 / Z504

CHURCH TROLLEYS



Spencer foldable church trolleys are designed for supporting and transporting coffins, ensuring optimal durability and manoeuvrability. The aluminium frame combines strength and lightness, while the stainless steel joints ensure long-lasting performance. All moving components are equipped with lubricated nylon and Teflon bushings for smooth and quiet opening and closing. The Z501, Z503, and Z505 models feature stainless steel handles that rotate 90°, providing improved manoeuvrability in tight spaces. All models support loads of up to 300 kg.



CHURCH TROLLEYS WITHOUT HANDLES

ZC00813	Z502	●	(Wheels Ø 20 cm / Dimensions 118 x 48 x 73 cm)
ZC00814	Z501F	●	(Wheels Ø 20 cm – Dimensions 118 x 48 x 62 cm)
ZC00828	Z502	●	(Wheels Ø 12,5 cm / Dimensions 108 x 48 x 55 cm)
ZC00839	Z502	●	(Wheels Ø 12,5 cm / Dimensions 108 x 48 x 55 cm)

CHURCH TROLLEYS WITH HANDLES THAT ROTATE 90° DOWNWARD

ZC00801	Z501	●	(Wheels Ø 12,5 cm / Dimensions 118 x 55 x 55 cm)
ZC00802	Z501	●	(Wheels Ø 12,5 cm / Dimensions 118 x 55 x 55 cm)
ZC00803	Z501	●	(Wheels Ø 20 cm / Dimensions 118 x 55 x 62 cm)
ZC00804	Z501	●	(Wheels Ø 20 cm / Dimensions 118 x 55 x 62 cm)
ZC00859	Z501	●	(Wheels Ø 20 cm / Dimensions 118 x 55 x 62 cm)
ZC00860	Z501	●	(Wheels Ø 12,5 cm / Dimensions 118 x 55 x 55 cm)
ZC00843	Z503	●	(Wheels Ø 20 cm / Dimensions 118 x 55 x 45 cm)
ZC00852	Z503	●	(Wheels Ø 20 cm / Dimensions 118 x 55 x 45 cm)
ZC00863	Z504	●	(Wheels Ø 12,5 cm / Dimensions 118 x 55 x 55 cm)
ZC00864	Z504	●	(Wheels Ø 20 cm / Dimensions 118 x 73 x 60 cm)

Z511 / Z512

CHURCH TROLLEYS WITH HANDLES
THAT ROTATE 180° HORIZONTALLY



The Spencer Z511 and Z512 foldable church trolleys are equipped with stainless steel handles that rotate 180°. This feature provides particularly flexible manoeuvrability, allowing the trolley with the coffin on top to be transported both from the front and the rear. The height-adjustable coffin support pads are made of elastic rubber, easily compensating for any uneven surfaces during use.




CHURCH TROLLEYS WITH HANDLES THAT ROTATE 180° HORIZONTALLY

ZC00815 Z511 (Wheels Ø 20 cm / Dimensions 166 × 55 × 67 cm)

ZC00816 Z511 (Wheels Ø 20 cm / Dimensions 166 × 55 × 67 cm)

ZC00861 Z511 (Wheels Ø 20 cm / Dimensions 166 × 55 × 67 cm)

ZC00858 Z512 (Wheels Ø 20 cm / Dimensions 143,5 × 55 × 55 cm)



POWER Z501

CHURCH TROLLEY WITH ELECTRIC LIFTING PISTON
AND 90° HANDLE ROTATION



Battery
powered



Load
capacity



Weight

POWER Z501 is equipped with a motorised lifting system that facilitates the sliding of the coffin towards the funeral vehicle. The lifting speed is electronically controlled by a microprocessor, ensuring maximum safety and reliability during lifting operations. The aluminium frame makes the trolley lightweight (15 kg), easy to handle, and quick to fold. Stainless steel joints and handles provide high strength and long service life. The four braked wheels with increased diameter (20 cm) facilitate transport operations on uneven surfaces.

1 Swivel wheels improve manoeuvrability. **2** The handles can be rotated to facilitate coffin transport. **3** Four locking brakes enhance the safety and stability of the device. **4** The roller installed at the end of the lifting system facilitates coffin sliding. **5** The wired remote control with extendable cable (included) allows quick and practical adjustment of the sliding roller height.



By pressing a button, the lifting mechanism ensures alignment of the trolley with the vehicle floor during loading and unloading operations. This function allows the coffin to be tilted during funeral ceremonies.

ZC00900	POWER Z501	●
ZC00901	POWER Z501	●
ZC00902	POWER Z501	●

Max. length 135,5 cm
Width with handles closed 55 cm
Width with handles open 100 cm
Height with lifting system closed 61,1 cm
Lifting piston stroke 20 cm
Lifting speed 6 mm/s
Height range above roller 62–82 cm
Dimensions when folded 80 x 29 x 55 cm
Wheels Ø 20 cm
Brakes 4
Load capacity 300 kg
Weight 15 kg



THE PRODUCT INCLUDES


2 Ah – 18V – Li-Ion Battery
Battery charger (charging time ~ 60 min)

Wired remote control to adjust the roller height. Once used, the remote control can be stored in the dedicated holder mounted on the trolley frame.

COMPARATIVE TABLE OF CHURCH TROLLEYS

CODE	MODEL	COLOUR	DIMENSIONS WHEN OPEN	DIMENSIONS WHEN FOLDED
ZC00801	Z501	●	118 x 55 x 55 cm	73 x 13 x 55 cm
ZC00802	Z501	●	118 x 55 x 55 cm	73 x 13 x 55 cm
ZC00860	Z501	●	118 x 55 x 55 cm	73 x 13 x 55 cm
ZC00803	Z501	●	118 x 55 x 62 cm	80 x 13 x 55 cm
ZC00804	Z501	●	118 x 55 x 62 cm	80 x 13 x 55 cm
ZC00859	Z501	●	118 x 55 x 62 cm	80 x 13 x 55 cm
ZC00814	Z501F	●	118 x 48 x 62 cm	80 x 43 x 13 cm
ZC00815	Z511	●	166 x 55 x 67 cm	80 x 22 x 61 cm
ZC00816	Z511	●	166 x 55 x 67 cm	80 x 22 x 61 cm
ZC00861	Z511	●	166 x 55 x 67 cm	80 x 22 x 61 cm
ZC00813	Z502	●	118 x 48 x 73 cm	80 x 43 x 13 cm
ZC00828	Z502	●	108 x 48 x 55 cm	73 x 13 x 48 cm
ZC00839	Z502	●	108 x 48 x 55 cm	73 x 13 x 48 cm
ZC00843	Z503	●	118 x 55 x 45 cm	80 x 13 x 45 cm
ZC00852	Z503	●	118 x 55 x 45 cm	80 x 13 x 45 cm
ZC00863	Z504	●	118 x 55 x 55 cm	73 x 13 x 55 cm
ZC00864	Z504	●	118 x 73 x 60 cm	73 x 13 x 60 cm
ZC00858	Z512	●	143,5 x 55 x 55 cm	63 x 16 x 55 cm
ZC00865	Z521	●	189 x 65,8 x 62,8 cm	21,5 x 62,8 x 80,3 cm
ZC00900	POWER Z501	●	135,5 x 55 x 61,1 cm	80 x 29 x 55 cm
ZC00901	POWER Z501	●	135,5 x 55 x 61,1 cm	80 x 29 x 55 cm
ZC00902	POWER Z501	●	135,5 x 55 x 61,1 cm	80 x 29 x 55 cm

Note: Dimensions and weight are subject to tolerances of ± 1 cm and ± 0,2 kg.



With Spencer church trolleys, coffins can be transported by a single operator.



ACCESSORIES

ZC00830	Carrying bag for church trolley – Black PVC Dimensions 81 x 50 x 16 cm
ZC00831	Carrying bag for church trolley – Black PVC Dimensions 84 x 53 x 20 cm

WEIGHT	WHEELS DIAMETER	BRAKES	LOAD CAPACITY	HANDLES	HANDLES ROTATION
12 kg	12,5 cm	2	300 kg	✓	90° downward
12 kg	12,5 cm	2	300 kg	✓	90° downward
12 kg	12,5 cm	2	300 kg	✓	90° downward
14,5 kg	20 cm	2	300 kg	✓	90° downward
14,5 kg	20 cm	2	300 kg	✓	90° downward
14,5 kg	20 cm	2	300 kg	✓	90° downward
12,5 kg	20 cm	2	300 kg	-	-
19 kg	20 cm	2	280 kg	✓	180° horizontally
19 kg	20 cm	2	280 kg	✓	180° horizontally
19 kg	20 cm	2	280 kg	✓	180° horizontally
12,5 kg	20 cm	2	300 kg	-	-
11 kg	12,5 cm	2	300 kg	-	-
11 kg	12,5 cm	2	300 kg	-	-
14 kg	20 cm	2	300 kg	✓	90° downward
14 kg	20 cm	2	300 kg	✓	90° downward
12 kg	12,5 cm	2	300 kg	✓	90° downward
12 kg	20 cm	2	300 kg	✓	90° downward
19 kg	20 cm	2	280 kg	✓	180° horizontally
20,1 kg	20 cm	2	454 kg	✓	90° downward
15 kg	20 cm	4	300 kg	✓	90° downward
15 kg	20 cm	4	300 kg	✓	90° downward
15 kg	20 cm	4	300 kg	✓	90° downward



All our church trolleys are manufactured in Italy using high-quality materials.

On request, the dimensions and colour of Spencer trolleys can be customised.



WING

ALUMINIUM MULTI-HEIGHT STAND



270 kg

Load
capacity

6,5 kg

Weight

WING is a lightweight, versatile and elegant coffin support system. It is made of high-strength aluminium with durable alloy joints. Thanks to its advanced mechanism, two different heights can be achieved simply by opening it from either side. It is supplied as a set of 2 pieces in silver or bronze.

ZC00408	WING	●	Set 2 pcs.
---------	------	---	------------

ZC00407	WING	●	Set 2 pcs.
---------	------	---	------------



Min-max. length 48-64,5 cm
Width 49 cm
Min-max. height 48-52 cm
Load capacity (2 pieces) 270 kg
Weight (2 pieces) 6,5 kg
Material Anodised aluminium



The WING transport bag is available and can be customised on request.

A single device can be set to two different heights.

BODY TRANSFER SYSTEM



EXTRATANK

BODY TRANSPORT SYSTEM



EXTRATANK is a transport system for the recovery of the deceased, equipped with wide telescopic handles and large wheels for greater operator efficiency and safety. Designed to reduce the risk of back injuries, its top shell can be easily secured with elastic cords to ensure stability during transport. It can accommodate a scoop stretcher or a spinal board.

1 Polyethylene structure: impact-resistant, virtually indestructible, maintains shape, resistant to chemical and organic substances, 100% recyclable. **2** Reinforced stainless steel frame: provides additional stability. **3** Large Ø 20 cm wheels with ball bearings enhance ergonomics and manoeuvrability. **4** Ten-point closure with elastic cords: ensures a tight seal between lid and base.



The wheelbarrow effect reduces lifting and transport effort for the operator, significantly easing handling and steering of the system.



CODE ZC00201

Length with handles extracted/retracted 276/224 cm

Width 64 cm

Height 51 cm

Load capacity 220 kg

Weight 25 kg

Materials PE, Aluminium, Steel

SPARE PART

RIZC010 EXTRATANK LID

COMPATIBLE WITH

ZC00100 Z 5005 RECOVERY SPINE BOARD

ZS00400 Z 5000 PICK-UP STRETCHER 3 BLADES

Z 5000

PICK-UP STRETCHER



The Z5000 pick-up stretcher allows the operator to lift the deceased without having to move them. The concave surface is containing and minimises lateral movement. Made of extruded aluminium bonded to a robust alloy frame, it is lightweight and folds in half to reduce bulk. Automatic safety hooks are integrated into the frame. Handles are provided around the entire perimeter to facilitate recovery and transport. The end section (foot end) is telescopic to accommodate the size of the body and is narrower to allow manoeuvrability in confined spaces. The Z5000 can fit inside the Extratank. Supplied with three quick-release restraint belts.

CODE ZS00400

Z 5000 PICK-UP STRETCHER THREE BLADES

WITH 3 RETRAINT BELTS

Min. length 166 cm
Intermediate length (1) 178 cm
Intermediate length (2) 190 cm
Max. length 205 cm
Width 42 cm
Folded length 119 cm
Thickness when folded 7 cm
Thickness when extended 6 cm
Load capacity 150 kg
Weight 7,9 kg
Material Aluminium



The Z5000 can be adjusted in length.

THE PRODUCT INCLUDES

3 restraint belts

COMPATIBLE WITH

ZC00201 EXTRATANK BODY TRANSPORT SYSTEM



Z 5005

RECOVERY BOARD



200 kg
Load
capacity



7,3 kg
Weight

Manufactured from double-shell high-density polyethylene with no joints, it is injected with a special expanded polyurethane that makes it monolithic and buoyant. Easy to sanitise. The abrasion-resistant material allows it to slide smoothly on stairs. Handles along the entire perimeter optimise weight distribution and harness securing. Z 5005 is tapered at the distal end to improve manoeuvrability during body transfer operations. It can be housed inside the Extratank and is supplied complete with the Z-Straps harness system.

CODE ZC00100

Dimensions 184 x 44,5 x 5 cm

N° of handles 16

N° of pins 14

Load capacity 200 kg

Weight 7,3 kg

Material PE

Colour Light grey



Tapered at the distal end to facilitate the transfer of the body.

Z-STRAPS

HARNESS SYSTEM

Spider belt compatible to recovery board Z 5005. Manufactured with 5 cm polypropylene webbing.



ZC00101 Z 5005



SPENCER 520

STRETCHER CHAIR FOR BODY REMOVAL



Load
capacity



Weight

SPENCER 520 can be used either as a transport chair or as a stretcher to gain flexibility and more space. Lightweight and robust, it requires less than 2 seconds and just one movement to change its configuration. It boasts numerous technical solutions designed to make the job easier for the mortuary operations. Ø 15 cm wheels, adjustable belts, front telescopic handles and rear folding handles to make the device versatile and suitable to transport bodies even in confined spaces. The lower part of the frame is curved so that it functions as a footrest when the device is being used in the chair mode. When not in use, SPENCER 520 can be folded in two to reduce storage space.



CODE ZS00024

STRETCHER MODE:

Length with handles retracted 195 cm
Length with handle extracted 203,5 cm
Width 54 cm
Thickness when folded 17 cm

CHAIR MODE:

Height 135,5 cm
Depth with handles extracted 91,5 cm
Depth with handles retracted 76,5 cm
Height of seat 55 cm
Height of backrest 87 cm
Dimensions folded 109 x 54 x h17 cm
Load capacity 160 kg
Weight 13,5 kg
Materials PVC, Nylon, Steel

SKID-E

SYSTEM FOR TRANSPORTING THE DECEASED ON STAIRS



180 kg
Load capacity




12,7 kg
Weight

SKID-E is a quick-to-install chair that allows easy movement and control when descending stairs, while reducing operator fatigue. It offers high manoeuvrability and optimal control even in confined spaces, and can also be used for transfers on flat surfaces thanks to its four wheels, two of which are swivel with brakes, ensuring maximum stability during loading.

CODE ZS30001

Length 90 cm
Width 53 cm
Height 107 cm
Height with extension handle extended 160 cm
Thickness when folded 33 cm
Front wheels Ø 10 cm
Rear wheels Ø 20 cm
Load capacity 180 kg
Weight 12,7 kg
Materials Al, PVC, PP, PU

1 Slide allows for easy movement and control going downstairs. **2** The frame in polished aluminium reduces the weight of the SKID-E chair but increases their durability. **3** Multi height extension handle improves grip during descent. **4** Fitted with front pivoting wheels Ø 10 cm with brake. **5** Rear wheels Ø 20 cm reduce friction and makes it easy to move patients on flat surface. **6** Supplied with two polypropylene 5 cm straps.



The side tracks facilitate stair descent, whilst front wheels enable movement on a flat surface.



WOW

RECOVERY SHEET WITH 10 HANDLES AND SHOULDER STRAPS



150 kg
Load
capacity



4,7 kg
Weight

WOW is the ideal solution for transferring the deceased downstairs when confined spaces prevent the use of stretchers or other transport systems. Only two operators are required for use. One of WOW's main advantages is that it distributes the load over a larger surface, reducing operator effort. It requires little storage space and is easy to clean and disinfect.

1 Reinforced nylon straps providing high strength and durability. **2** Two shoulder straps with height-adjustable webbing for each operator, allowing better load distribution. **3** The width of the band used for the 10 handles ensures a comfortable grip for operators. **4** The shape of the WOW ensures excellent lateral stability during transport. **5** Adjustable footrest with two positions to increase support for the body.



The aluminium rods used to reinforce the fabric are removable through dedicated holes and can also be folded in three sections. Once inserted, they increase the rigidity of the support and distribute the load over a larger surface.

CODE QM40600

Length 256 cm

Width of the top section 96 cm

Width of the bottom section 70 cm

Storage dimensions 50 x 60 x 15 cm

Storage dimensions of 1 folded rod 7,4 x 45 x 3 cm

N° of handles 10

Belts width 5 cm

Top handles length 16 cm

Bottom handles length 26 cm

Rods length 121 cm

N° of shoulder straps adjustments 6

Load capacity 150 kg

Weight 4,7 kg

Materials Nylon, PVC, Alluminio

Z2100 / Z2200

FIXED AND FOLDABLE BODY TRANSPORT STRETCHERS




150 kg
Load capacity



8,5-13 kg
Weight

The body transport stretchers from the Z2100 and Z2200 series are ideal for the recovery of the deceased and their transport on stairs. The frame is made of reinforced aluminium, while the joints and wheel supports are stainless steel, designed to provide high strength. The Z2100 series features a fixed frame, whereas the Z2200 series is foldable, suitable for those who wish to optimise storage space. The support is available with either a sheet or a body bag made of SPEN-TEX, providing better stability of the deceased during vertical lifting. Each stretcher includes 3 restraint belts.



CODE ZS00211

Z2101 STRETCHER WITH FIXED FRAME AND PVC SHEET

Dimensions 200,8 x 48,5 x h19 cm

Dimensions when folded 120 x 48,5 x 19 cm

Wheels Ø 10 cm

Load capacity 150 kg

Weight 7,5 kg



CODE ZS00220

Z2200 STRETCHER WITH FOLDABLE FRAME AND BODY BAG

Dimensions 200,8 x 48,5 x h19 cm

Dimensions when folded 120 x 48,5 x 19 cm

Wheels Ø 10 cm

Load capacity 150 kg

Weight 13 kg

CODE ZS00210

Z2100 STRETCHER WITH FIXED FRAME AND BODY BAG

Dimensions 200,8 x 48,5 x h19 cm

Dimensions when folded 120 x 48,5 x 19 cm

Wheels Ø 10 cm

Load capacity 150 kg

Weight 8,5 kg

CODE ZS00221

Z2201 STRETCHER WITH FOLDABLE FRAME AND PVC SHEET

Dimensions 200,8 x 48,5 x h19 cm

Dimensions when folded 120 x 48,5 x 19 cm

Wheels Ø 10 cm

Load capacity 150 kg

Weight 12 kg

THE PRODUCT INCLUDES

3 restraint belts

Z2500 / Z2501

FOLDABLE BODY TRANSPORT STRETCHERS WITH HANDLES AND FOLDABLE WHEELS



Load
capacity



Weight

The Z2500/Z2501 stretchers are designed to ensure efficient recovery and transport of the deceased, even on stairs and in confined spaces. The footrest and base wheels facilitate transport in a tilted position, while the foldable structure, together with space-saving wheels and handles, minimises bulk during storage and handling. Compatible with Spencer Z Cross and Z Crossover church trolleys, they are available with either a fixed sheet or a body bag support. Each stretcher includes 3 restraint straps.



The Z2500 and Z2501 stretchers can be perfectly stowed and transported on the Z-Cross and Z-Crossover self-loading trolleys – see page 12.



CODE ZS00251

Z2501 STRETCHER WITH FOLDABLE FRAME AND PVC SHEET

Dimensions 200,8 x 50 x 19 cm

Dimensions when folded 117 x 50 x 20 cm

Height with footrest open 26,5 cm

Wheels Ø 10 cm

Load capacity 200 kg

Weight 12,6 kg



CODE ZS00250

Z2500 STRETCHER WITH FOLDABLE FRAME AND BODY BAG

Dimensions 200,8 x 50 x 19 cm

Dimensions when folded 117 x 50 x 20 cm

Height with footrest open 26,5 cm

Wheels Ø 10 cm

Load capacity 200 kg

Weight 12,6 kg

THE PRODUCT INCLUDES

3 restraint belts

The wheels and head-end feet are foldable to optimize the storage space.

PAX BODY TRANSPORT SHEET L

TRANSPORT SHEET WITH ANTI-SLIP PROTECTION



Load
capacity



Weight

This transport sheet is specifically designed to ensure safe and practical movement of the deceased. The anti-slip coating provides an optimal grip, while the integrated foot pocket stabilises the body during transport, even on inclined surfaces. With 8 sturdy handles, it can be carried in a coordinated manner by multiple operators. In addition, it is easy to clean and disinfect, making it ideal for repeated use in the funeral sector.

CODE 102260201

Length 198 cm

Width 81 cm

N° of handles 8

Weight 1,50 kg

Load capacity 150 kg

Material PAX-Plan

Colour Black



PAX 10H LIGHT BODY TRANSPORT SHEET

TRANSPORT SHEET WITH BAG



Load
capacity



Weight

This ultra-lightweight and compact transport sheet is specifically designed for safe transport. Made from durable material, it is easy to clean and disinfect. Equipped with 10 reinforced handles, including one at the head and one at the foot, it ensures optimal manoeuvrability even in confined spaces. When folded, the sheet takes up very little space. It includes a carrying bag with a MOLLE system, allowing pouches and accessories to be attached and configured quickly and customisably.

CODE 282846203

Length 195 cm

Width 80 cm

N° of handles 10

Weight 0,48 kg

Load capacity 150 kg

Colour Black



THE PRODUCT INCLUDES

CARRYING BAG WITH A MOLLE SYSTEM

STX 709

BODY BAG

120 kg



Load
capacity

The STX 709 body bag combines strength, ergonomics, and functionality. Made of high-strength non-woven fabric (TNT), it features 6 reinforced handles and a full-length zip opening to facilitate access and recovery operations. Designed with quality materials and advanced technical solutions, it ensures high operational efficiency and reliability.



CODE ST00709

Length 203 cm

Width 104 cm

N° of handles 6

Material weight 80 g/m²

Load capacity 120 kg

Material Non-woven fabric

Integral opening, with closing zip, to simplify recovering operations.

BODY PREPARATION



FRACK

FOLDABLE DRESSING TABLE WITH
ADJUSTABLE HEIGHTS



Load
capacity



Weight

FRACK is a folding dressing system with adjustable heights, designed for use by a single operator. Constructed with a stainless steel frame and a high-density polyethylene top that ensures durability, easy cleaning, and long service life, it features a foldable, watertight basin to facilitate the cleaning of the deceased.

1 High-density polyethylene top with integrated basin: functional, easy to sanitise, and durable. **2** Swivel wheels improve manoeuvrability. **3** Levers with colour-coded handles help adjust the platform's tilt. **4** Four locking brakes enhance the stability of the device.



CODE ZV00204

FRACK WITH 4 SWIVEL WHEELS

Length when open 187 cm

Width 63,5 cm

Dimensions when closed 100 x 19 x 63,5 cm

Operator required 1

Weight without standard equipment 23 kg

Load capacity 150 kg

Average platform heights (with mirrored adjustment)

Min-max height 18-85 cm

Intermediate height (1) 60 cm

Intermediate height (2) 75 cm

The operator can easily set the height of the device at the most convenient level.

ACCESSORIES

ZV00202 ZVX 02 Transport bag for Frack – black PVC



Easy to store and transport.

Z 4000

ADJUSTABLE-HEIGHT WORKBENCH WITH ROLLER

18 kg



Weight

Z4000 is a workbench designed to simplify the handling of the coffin. The tapered sides in the central part of the device facilitate the insertion of the forklift hooks. At the front, the two side frames are connected by a single crossbar at the base, allowing the operator to push and guide the coffin towards the funeral vehicle.

1 Polished stainless steel frame. **2** Large-diameter wheels Ø 20 cm (two with brakes on both the axle and rolling). **3** Tilttable roller to improve coffin sliding. **4** Four adjustable heights.

CODE ZS04000

Length 135 cm

Width 55 cm


Adjustable heights 66 cm / 71 cm / 76 cm / 80 cm

Wheels Ø 20 cm

Brakes 2

Weight 18 kg

Material Polished stainless steel frame



A single operator can effortlessly transfer the coffin from the Z4000 to the vehicle.



Tilting roller that can be engaged to improve coffin sliding.

Z 4001

WORKBENCH WITH COFFIN SUPPORT PADS



250 kg
Load
capacity



19 kg
Weight

This workbench is designed to provide versatility, comfort, and ease of use. The stainless steel frame ensures strength, easy cleaning, and hygienisation. Large-diameter wheels with brakes facilitate transport, while rubber pads provide stable and secure positioning of the coffin during work operations. With the addition of two side frames at the base of the trolley, the operator can easily guide the coffin to the vehicle. The tapered sides in the centre allow for easy insertion of forklift hooks, optimising efficiency and safety during operations.

CODE ZS04001

Maximum length (wheels in travel direction) 151 cm

Width 55,5 cm

Height 51 cm

Distance between the support pads 105,5 cm

Wheels Ø 20 cm

Weight 19 kg

Load capacity 250 kg



BLANCO

MULTIFUNCTION PORTABLE SUCTION DEVICE



Canister
capacity



Battery
powered



Weight

BLANCO is a portable device designed for the suction of organic and bodily fluids, ensuring safe and hygienic collection in a reusable 1-litre canister. Available in both battery-operated and non-battery versions, it is supplied complete with a silicone tube, canister, and power cable or AC/DC adapter, depending on the model.

SC10050	BLANCO 16 L/MIN without battery
SC10051	BLANCO 16 L/MIN with battery
SC10053	BLANCO 40 L/MIN without battery

CODE SC10053

Dimensions 35 x 21 x 18 cm

Weight 3,6 kg

Materials PC, ABS

Maximum vacuum (without canister) 600 mmHg

Canister capacity 1 L

Suction capacity 40 L/min

Noise level 63 dB

Continuous operation

POWER SUPPLY AND BATTERY:

Battery voltage 230 V

Power consumption 110 VA

ENVIRONMENTAL CONDITIONS:

IP rating 21

Safety class Class II, type BF

Operating temperature 5 °C to 35 °C

Storage temperature -25 °C to 70 °C



THE PRODUCT INCLUDES

Collection canister
Silicone suction tubes (x2)
Antibacterial filter
Sterile suction catheter
Power supply
12 V power cable with cigarette lighter plug

JET COMPACT

COMPACT AND LIGHTWEIGHT PORTABLE SUCTION UNIT

300 ml

Canister
capacity



Battery
powered



Weight

JET COMPACT is a portable fluid suction device that delivers high performance with low noise and vibration levels. Designed for hospital or home use, it collects fluids in a canister via a single-use tube and is supplied with a 220 V power supply. It is also available in the HomeJet version, featuring a 1000 ml canister and protective housing.

CODE SC75101

JET COMPACT 300 D

Dimensions 24,5 x 7 x 18,5 cm

Canister capacity 300 ml

Patient tube length 1 m

Weight 1,6 kg

Maximum vacuum 50-550 mmHg

Flow 32 L/min

Noise level 70 dB

POWER SUPPLY AND BATTERY:

100-240 VAC, 47-63 Hz

0.75 A max; 12 V DC 33 W max

Battery 12 V DC Ni-MH

Battery operating time 30 min ON, 30 min OFF

Battery recharge time 5 hours

ENVIRONMENTAL CONDITIONS:

IP rating 12

Operating temperature 0 °C to +45 °C

Storage temperature -40 °C to +70 °C

Humidity 0-95%



THE PRODUCT INCLUDES

12 V power cable

220 V power supply

Single-use canister with filter

Single-use patient tube (1 m)

220 V-12 V transformer

ACCESSORIES

SC75011 Transport bag for JET COMPACT

D-B-VAC

MANUAL ASPIRATOR FOR SECRETIONS

400 ml

Canister
capacity

270 g



Weight

D-B-VAC is a portable, compact, lightweight suction unit for manual aspiration: powered by one hand, it leaves the other hand free for other tasks. it can be used on adults as well as paediatric patients. the aspirator creates a vacuum that extracts the fluid through the disposable catheter connected to the collection vessel. disposable collection vessel is integrated with dedicated filter.

CODE RV71170

Dimensions with canister 21 x 17 x 7,5 cm

Adult catheter dimensions Ø 16 x 22 cm

Maximum vacuum 550 mmHg

Flow 20 L/min

Canister capacity 350 ml

Weight of the suction device with canister 270 g

Materials PE, PVC

**RES-Q-VAC**

MANUAL SUCTION PUMP

400 ml

Canister
capacity

1,4 kg



Weight

Portable suction device that can be operated by pressing a pedal with the hand, knee or foot. Featuring a durable, easy-to-clean polycarbonate body, it is supplied with an autoclavable canister with overflow valve (capacity 400 ml) and a single-use antibacterial filter that minimises the risk of contamination.

CODE RV71101

Dimensions 22,5 x 16,5 x 15 cm

Suction tube 130 cm

Maximum vacuum 300 mmHg

Flow 22 l/min

Canister capacity 400 ml

Weight 1,4 kg

Materials PE, PVC, PC, Fe



ACCESSORIES AND BAGS



PAX ROLLER DAYPACK

WATERPROOF BACKPACK WITH ROLL-TOP CLOSURE

30 L

Capacity

1 kg



Weight

PAX ROLLER DAYPACK is a practical and multifunctional backpack with an elegant design and roll-top closure, made from water-repellent material to protect contents from rain and dirt. The PAX Rip-Tec fabric is lightweight and abrasion-resistant. Side and internal pockets allow easy organisation of small items. Reflective elements on the sides enhance visibility in low-light conditions.



The roll-top closure allows for additional backpack capacity when needed.

CODE 159204503

Dimensions 32 x 55 x 17 cm

Capacity 30 L

Weight 1 kg

Material PAX Rip-Tec

Colour Black

RING CUTTER

STAINLESS STEEL RING CUTTER



Made in stainless steel with a pre-formed handle to improve the grip. The distal parts have a niche for holding the stainless steel, replaceable grained blade, suitable for the cutting of rings even if they are made with extremely tenacious alloys.

CODE GD02020

Length 16,5 cm

AXIL

EXTRACTABLE CHIN REST



AXIL is an easy to apply, invisible chin rest which is adjustable with a rotatory movement. It can be stabilized thanks to the two distal, curved supports made in crystalline techno polymer. It is strong, light and versatile.

CODE ZV00101

Adjustable length from 7 to 12 cm

Z 754

FUNERAL HEADREST



The first system in closed cell polyurethane with six different positions, to offer a versatile and rapid posture for the head and limbs during post mortems or dressing. The Z 754 is indestructible, unbreakable, light and easily sanitized.

CODE ZV00300

Dimensions 16,7 x 12,7 x 11 cm

Weight 570 g

RDG

GLOVES
DISPENSER



RDG gloves dispenser can be attached to the wall and into ambulances (in the sanitary compartment or in the drivers area) and it can be placed in a vertical or horizontal position. It can hold standard boxes of 100 gloves. It is made of easily washable, impact-resistant thermoplastic material.

CODE FG04570

Dimensions 25,7 x 10 x 13,4 cm

N-GLOVEX

NITRIL GLOVES



Nitrile gloves with superior resistance to punctures and chemicals compared to most latex and vinyl gloves. Elastic material adapts perfectly to the shape of the hand.

DR10367	Glovex SIZE S
DR10368	Glovex SIZE M
DR10369	Glovex SIZE L

Every box contains 100 disposable non sterile gloves.
Dimensions 24 x 6 x 12 cm

GLOVEX

LATEX GLOVES



Latex gloves that offer flexibility and comfort during use. The boarded cuff guarantees better fit over uniform.

DR10390	Glovex SIZE S
DR10391	Glovex SIZE M
DR10392	Glovex SIZE L

Every box contains 100 disposable non sterile gloves.
Dimensions 24 x 6 x 12 cm

FXA PRO

UNIVERSAL ANATOMICAL ANKLE IMMOBILISER



FXA PRO is a universal accessory for the immobilisation of ankles. Thanks to its innovative design, its robust material and its fixation system, it can be used effectively on bodies placed on spine boards and other types of stretchers. It is made of injection-moulded plastic compound, with an excellent elastic memory.

CODE SH00151

Dimensions 29 x 16 x 8 cm
Materials PE, Nylon
Weight 350 g

GMX 234

CURVED SCISSORS WITH ROUNDED END



Sterilisable curved surgical scissors with a rounded tip to limit skin injuries. Very light, they are made of stainless steel with a satin finish to reduce light reflection.

CODE GM00234

Total length 16,1 cm

Blade length 4,5 cm

PAX LOGBOOK MULTI-ORGANIZER TABLET

DOCUMENT HOLDER FOR A4-SIZED TABLETS

The internal padding and water-resistant exterior protect devices, documents, and accessories. It includes a removable external clipboard and can be used with the PAX shoulder strap (Code 12444).



CODE 224450203

Dimensions 28 x 39 x 7,5 cm

Weight 1,60 kg

Material PAX-Plan

MATCH 3

MULTI-PURPOSE SCISSORS



Equipped with a wall bracket for secure mounting in any vehicle. The interlocking anchor guarantees quick access while the holder ensures that the secateurs remain closed when not in use. The moulded plastic part covering the blade allows the scissors to be firmly gripped and used as a glass breaker.

CODE GD02060

Dimensions 24,7 x 10,5 x 1,8 cm

Blade length 10 cm

Weight 374 g

PAX LOGBOOK MULTI-ORGANIZER KF

DOCUMENT HOLDER

A compact and well-designed solution for storing important documents, travel journals, pens, and accessories. Thanks to its sturdy construction and optimised internal layout, all items remain organised and easily accessible. The set includes two clipboards (one of which is removable) and a PAX key holder.



CODE 201880203

Dimensions 30 x 39 x 10 cm

Weight 1,30 kg

Material PAX-Plan

FOLLOW US ON FACEBOOK



SPENCER ITALIA

Via Provinciale, 12
43038 Sala Baganza (PR) – Italy
Tel. +39 0521 54 11 11



E-MAIL

webmarketing@spencer.it


Spencer exports its products to 162 countries worldwide. In some of these, the same operational and approval standards may not always apply. For this reason, there may be differences between the descriptions in this catalogue and the products delivered. Spencer is constantly working to improve all its products. We therefore ask for your understanding and reserve the right to make changes at any time to shapes, colours, and equipment from those described in this catalogue.

@All rights reserved

Reproduction, even in part, is prohibited without authorisation.

"Any unauthorised use of the photographic material in this catalogue is prohibited. Transmission over the Internet, TV, or any unauthorised publication will be prosecuted according to the law."


SPENCER



Rev.3/2026